



EXISTING CONDITIONS

Remove existing metal canopy and signage.

Remove existing storefront including windows, plywood paneling, entry doors, and lights.

Stone should be cleaned with a mild detergent and scrubbed with a nylon bristle brush. Stone should then be painted Shoji White (SW 7042) from Sherwin Williams paints.

Stone band at top of building, window trim and sashes should be painted Cyberspace (SW 7076) from Sherwin Williams paints.

Window lintels and sills should be painted Software (SW 7074) from Sherwin Williams paints.



Four gooseneck light fixtures should be installed over the new sign, similar to Sign Star D (MR16) from B-K Lighting.

New flush-mounted sign with the business logo should be installed centered over the storefronts.

New recessed entry storefronts should be installed. Storefronts should have large display windows, transoms, bulkheads, and historically appropriated doors. Storefronts should be painted to match the color scheme of the building.

Vinyl window graphics should be installed on the display windows and entry doors.



PROPOSED DESIGN

Cooper Floor Covering

119 South College
Aledo

OFFICE OF LIEUTENANT
GOVERNOR PAT QUINN



ILLINOIS MAIN
STREET PROGRAM

The Illinois Historic Preservation Agency, through the Illinois Main Street Program, has provided this free design assistance to qualified property/business owners in the officially designated Main Street district. This conceptual rendering is based on information supplied to the staff. Should obscured architectural details or problems be revealed during the work, the local project manager and/or the staff architects should be consulted.

ILLINOIS HISTORIC
PRESERVATION
AGENCY

One Old State Capitol Plaza
Springfield, Illinois 62701
217.782.4836
www.illinois-history.gov

Drawn by AMB	August, 2008
Project Number 2007004	Sheet 1 of 3



EXISTING CONDITIONS

Remove existing metal canopy and signage.

Remove existing storefront including windows, plywood paneling, entry doors, and lights.

Stone should be cleaned with a mild detergent and scrubbed with a nylon bristle brush. Stone should then be painted Shoji White (SW 7042) from Sherwin Williams paints.

Stone band at top of building, window trim and sashes should be painted Cyberspace (SW 7076) from Sherwin Williams paints.

Window lintels and sills should be painted Software (SW 7074) from Sherwin Williams paints.



Four gooseneck light fixtures should be installed over the new sign, similar to Sign Star D (MR16) from B-K Lighting.

New flush-mounted sign with the business logo should be installed centered over the storefronts.

Two new awnings should be installed over new storefronts. Fabric shown is Capri (Style 4675) from Sunbrella fabrics. Valance should be screen printed with blocks of color from logo design.

New recessed entry storefronts should be installed. Storefronts should have large display windows, transoms, bulkheads, and historically appropriated doors. Storefronts should be painted to match the color scheme of the building.

Vinyl window graphics should be installed on the display windows and entry doors.



PROPOSED DESIGN

Cooper Floor Covering

119 South College
Aledo

OFFICE OF LIEUTENANT
GOVERNOR PAT QUINN



ILLINOIS MAIN
STREET PROGRAM

The Illinois Historic Preservation Agency, through the Illinois Main Street Program, has provided this free design assistance to qualified property/business owners in the officially designated Main Street district. This conceptual rendering is based on information supplied to the staff. Should obscured architectural details or problems be revealed during the work, the local project manager and/or the staff architects should be consulted.

ILLINOIS HISTORIC
PRESERVATION
AGENCY

One Old State Capitol Plaza
Springfield, Illinois 62701
217.782.4836
www.illinois-history.gov

Drawn by AMB	August, 2008
Project Number 2007004	Sheet 2 of 3



EXISTING CONDITIONS

Remove existing metal canopy and signage.

Remove existing storefront including windows, plywood paneling, entry doors, and lights.

Stone should be cleaned with a mild detergent and scrubbed with a nylon bristle brush. Stone should then be painted Shoji White (SW 7042) from Sherwin Williams paints.

Stone band at top of building, window trim and sashes should be painted Cyberspace (SW 7076) from Sherwin Williams paints.

Window lintels and sills should be painted Software (SW 7074) from Sherwin Williams paints.



Four gooseneck light fixtures should be installed over the new sign, similar to Sign Star D (MR16) from B-K Lighting.

New flush-mounted sign with the business logo should be installed centered over the storefronts.

Two new awnings should be installed over new storefronts. Fabric shown is Aquamarine (Style 4623) from Sunbrella fabrics. Valance should be screen printed with blocks of color from logo design.

New recessed entry storefronts should be installed. Storefronts should have large display windows, transoms, bulkheads, and historically appropriated doors. Storefronts should be painted to match the color scheme of the building.

Vinyl window graphics should be installed on the display windows and entry doors.



PROPOSED DESIGN

Cooper Floor Covering

119 South College
Aledo

OFFICE OF LIEUTENANT
GOVERNOR PAT QUINN



ILLINOIS MAIN
STREET PROGRAM

The Illinois Historic Preservation Agency, through the Illinois Main Street Program, has provided this free design assistance to qualified property/business owners in the officially designated Main Street district. This conceptual rendering is based on information supplied to the staff. Should obscured architectural details or problems be revealed during the work, the local project manager and/or the staff architects should be consulted.

ILLINOIS HISTORIC
PRESERVATION
AGENCY

One Old State Capitol Plaza
Springfield, Illinois 62701
217.782.4836
www.illinois-history.gov

Drawn by AMB	August, 2008
Project Number 2007004	Sheet 3 of 3